

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

10/713,576

	Type	Hits	Search Text	DBs	Time Stamp
1	BR S	48	liddy\$.in.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/09 18:31
2	BR S	15	liddy\$.in. and quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/09 18:33
3	BR S	2033	quer\$3 same concept\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:04
4	BR S	3561	(concept\$\$ idea\$) same (quer\$3 natural adj quer\$3)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/10 16:49
5	BR S	43	(concept\$\$ idea\$) same (quer\$3 natural adj quer\$3) same (decompos\$3 token\$) with (quer\$3 natural adj quer\$3)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/10 17:16

	Typ e	Hits	Search Text	DBs	Time Stamp
6	BR S	2541	quer\$3 same concept\$4	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:10
7	BR S	28	quer\$3 same concept\$4 same token\$	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:04
8	BR S	868	(generat\$3 creat\$3) same quer\$3 same concept\$4	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:11
9	BR S	256	(generat\$3 creat\$3) same quer\$3 same concept\$4 and token\$	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:11
10	BR S	150	(generat\$3 creat\$3) same quer\$3 same concept\$4 and token\$ and @rlad<=20030404	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:13

	Typ e	Hits	Search Text	DBs	Time Stamp
11	BR S	183	(generat\$3 creat\$3) same quer\$3 same concept\$4 and token\$ and (order\$1 sequence\$1 sequential) with (word\$1 term\$1 phrase\$1)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:14
12	BR S	24	(generat\$3 creat\$3) same quer\$3 same concept\$4 and (token\$ decompos\$3) near10 quer\$3 and (order\$1 sequence\$1 sequential) with (word\$1 term\$1 phrase\$1)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:37
13	BR S	20	(token\$ decompos\$3) near10 quer\$3 same concept\$4	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:33
14	BR S	335	(generat\$3 creat\$3) same concept\$4 with quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:38
15	BR S	77	(generat\$3 creat\$3) same concept\$4 with quer\$3 and token\$	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 09:38

	Type	Hits	Search Text	DBs	Time Stamp
16	BR S	25	(generat\$3 creat\$3) same concept\$4 with quer\$3 and token\$ and (sequence\$1 sequential order\$1) near (word\$1 term\$1)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 10:23
17	BR S	381	token\$ with phrase\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 14:09
18	BR S	109	token\$ with phrase\$1 and @rlad<=20030404	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 10:23
19	BR S	63	token\$ with phrase\$1 and @rlad<=20030404 and quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 10:24
20	BR S	45	token\$ with phrase\$1 and @rlad<=20030404 and quer\$3 and concept\$4	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 10:40

	Typ e	Hits	Search Text	DBs	Time Stamp
21	BR S	35	token\$ with phrase\$1 same (combin\$3 merg\$3 integrat\$3)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 11:21
22	BR S	0	6539348.pn. and concept\$4	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 11:55
23	BR S	1150	quer\$3 same token\$	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 11:55
24	BR S	189	quer\$3 same (log\$1 queue\$3 record\$1) same token\$	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:14
25	BR S	0	quer\$3 same (log\$1 queue\$3 record\$1) same token\$ and (eliminat\$3 remov\$3 purg\$3) same (duplicat\$2 similar identical) near quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:01

	Type	Hits	Search Text	DBs	Time Stamp
26	BR S	0	quer\$3 same (log\$1 queue\$3 record\$1) same token\$ and (elimanat\$3 remov\$3 purg\$3) near (duplicat\$2 similar identical) near quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:02
27	BR S	194	(elimanat\$3 remov\$3 purg\$3) same (duplicat\$2 similar identical) with quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:17
28	BR S	0	(quer\$3 same (log\$1 queue\$3 record\$1) same token\$ ) and ((elimanat\$3 remov\$3 purg\$3) same (duplicat\$2 similar identical) with quer\$3)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:03
29	BR S	27	(elimanat\$3 remov\$3 purg\$3) same (duplicat\$2 similar identical) with quer\$3 and token\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:03
30	BR S	9	(elimanat\$3 remov\$3 purg\$3) same (duplicat\$2 similar identical) with quer\$3 and token\$1 and @rlad<=20030404	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:50

	Typ e	Hits	Search Text	DBs	Time Stamp
31	BR S	71	quer\$3 same (log\$1 queue\$3 record\$1) same token\$ and @rlad<=20030404	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:17
32	BR S	0	(quer\$3 same (log\$1 queue\$3 record\$1) same token\$ and @rlad<=20030404) and (elimanat\$3 remov\$3 purg\$3) same (duplicat\$2 similar identical) with quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:18
33	BR S	11	(quer\$3 same (log\$1 queue\$3 record\$1) same token\$ and @rlad<=20030404) and (elimanat\$3 remov\$3 purg\$3) and (duplicat\$2 similar identical) with quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:25
34	BR S	363	quer\$3 same (proxy cach\$3) same (period\$ interval)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:36
35	BR S	0	quer\$3 same (proxy cach\$3) same (period\$ interval) same (eliminat\$3 remov\$3 purg\$3 delet\$3) with (duplicat\$3 identical) near3 quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:37



	Type	Hits	Search Text	DBs	Time Stamp
36	BR S	0	quer\$3 same (proxy cach\$3) same (period\$ interval) and (eliminat\$3 remov\$3 purg\$3 delet\$3) with (duplicat\$3 identical) near3 quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:37
37	BR S	0	quer\$3 same (proxy cach\$3) same (period\$ interval) and (eliminat\$3 remov\$3 purg\$3 delet\$3) same (duplicat\$3 identical) near3 quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:37
38	BR S	2	(proxy cach\$3) same (period\$ interval) and (eliminat\$3 remov\$3 purg\$3 delet\$3) same (duplicat\$3 identical) near3 quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:40
39	BR S	485	(period\$ interval) and (eliminat\$3 remov\$3 purg\$3 delet\$3) same (duplicat\$3 identical) near3 quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:40
40	BR S	435	(period\$ interval) and (eliminat\$3 remov\$3 purg\$3 delet\$3) same (duplicat\$3 identical) near3 quer\$3 and @rlad<=20030404	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:41

	Type	Hits	Search Text	DBs	Time Stamp
41	BR S	2	(period\$ interval) and (eliminat\$3 remov\$3 purg\$3 delet\$3) same (duplicat\$3 identical) near3 quer\$3 and @rlad<=20030404 and token\$ with quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:49
42	BR S	1431	quer\$3 with log\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:49
43	BR S	0	quer\$3 with log\$1 same (elimanat\$3 remov\$3 purg\$3 delet\$3) with (duplicat\$2 similar identical) near quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:51
44	BR S	0	quer\$3 with log\$1 same (elimanat\$3 remov\$3 purg\$3 delet\$3) near (duplicat\$2 similar identical) near quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:51
45	BR S	0	quer\$3 with log\$1 and (elimanat\$3 remov\$3 purg\$3 delet\$3) near (duplicat\$2 similar identical) near quer\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:52

	Type	Hits	Search Text	DBs	Time Stamp
46	BR S	60	quer\$3 with log\$1 and (elimanat\$3 remov\$3 purg\$3 delet\$3) near (duplicat\$2 similar identical)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:52
47	BR S	56	quer\$3 with log\$1 and (elimanat\$3 remov\$3 purg\$3 delet\$3) near (duplicat\$2 similar identical) and (period\$ interval)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 12:53
48	BR S	32	quer\$3 with log\$1 and (elimanat\$3 remov\$3 purg\$3 delet\$3) near (duplicat\$2 similar identical) and (period\$ interval) and @rlad<=20030404	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:05
49	BR S	4	(plurality multi) near2 quer\$3 same token\$1 with (word\$1 string\$1 phrase)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:10
50	BR S	17	(plurality multi) near2 quer\$3 same token\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:15

	Type	Hits	Search Text	DBs	Time Stamp
51	BR S	4	(plurality multi) near2 queries same token\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:17
52	BR S	78	(plurality multi) near2 queries and token\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:17
53	BR S	46	(plurality multi) near2 queries and token\$1 and @rlad<=20030404	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:25
54	BR S	373	queries same token\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:25
55	BR S	179	queries with token\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:25

	Type	Hits	Search Text	DBs	Time Stamp
56	BR S	174	queries same token\$1 and concept\$\$	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:26
57	BR S	72	queries same token\$1 and concept\$\$ and @rlad<=20030404	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 13:27
58	BR S	5	queries with log\$1 same token\$1 and concept\$\$ and @rlad<=20030404	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 14:04
59	BR S	1	6772150.pn.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 14:04
60	BR S	1220 3	token\$ with phrase\$1 707/1-5,10.ccls.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 14:10

	Type	Hits	Search Text	DBs	Time Stamp
61	BR S	78	token\$ with phrase\$1 and 707/1-5,10.ccls.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 14:10
62	BR S	56	token\$ with phrase\$1 and 704/9.ccls.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 14:28
63	BR S	2	6539348.pn.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 14:28
64	BR S	0	6539348.pn. and concept\$	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2004/08/12 14:29